



# **Nirmala Memorial Foundation College of Commerce and Science**

**Permanently Affiliated to University of Mumbai  
Accredited by NAAC, ISO 9001-2015 Certified  
Recognised under section 2(f) & 12(B) of the UGC Act 1956**

---

D.S. Road, Asha Nagar, Thakur Complex, Kandivali (East), Mumbai – 400 101. Tel.: 022 69436400

---

## 4.3

# IT Infrastructure



# **Nirmala Memorial Foundation College of Commerce and Science**

**Permanently Affiliated to University of Mumbai  
Accredited by NAAC, ISO 9001-2015 Certified  
Recognised under section 2(f) & 12(B) of the UGC Act 1956**

---

D.S. Road, Asha Nagar, Thakur Complex, Kandivali (East), Mumbai – 400 101. Tel.: 022 69436400

---

## **4.3.2**

**Student – Computer ratio (Data for the  
latest completed academic year)**



# **Nirmala Memorial Foundation College of Commerce and Science**

**Permanently Affiliated to University of Mumbai  
Accredited by NAAC, ISO 9001-2015 Certified  
Recognised under section 2(f) & 12(B) of the UGC Act 1956**

---

D.S. Road, Asha Nagar, Thakur Complex, Kandivali (East), Mumbai – 400 101. Tel.: 022 69436400

---

4.3.2.1.

Number of computers available for students usage during the latest completed academic year: 207

Formula:

**Number of students: Number of Computers**

**3318 : 207**

## 1. STOCK REGISTER DETAILS

Number of Computers in *3<sup>rd</sup> Floor – Lab 1 = 50*

Sr No	Floor	Lab No	Computer No
1	3rd Floor	Lab 1	NMFC/LAB1/COMP1
2	3rd Floor	Lab 1	NMFC/LAB1/COMP2
3	3rd Floor	Lab 1	NMFC/LAB1/COMP3
4	3rd Floor	Lab 1	NMFC/LAB1/COMP4
5	3rd Floor	Lab 1	NMFC/LAB1/COMP5
6	3rd Floor	Lab 1	NMFC/LAB1/COMP6
7	3rd Floor	Lab 1	NMFC/LAB1/COMP7
8	3rd Floor	Lab 1	NMFC/LAB1/COMP8
9	3rd Floor	Lab 1	NMFC/LAB1/COMP9
10	3rd Floor	Lab 1	NMFC/LAB1/COMP10
11	3rd Floor	Lab 1	NMFC/LAB1/COMP11
12	3rd Floor	Lab 1	NMFC/LAB1/COMP12
13	3rd Floor	Lab 1	NMFC/LAB1/COMP13
14	3rd Floor	Lab 1	NMFC/LAB1/COMP14
15	3rd Floor	Lab 1	NMFC/LAB1/COMP15
16	3rd Floor	Lab 1	NMFC/LAB1/COMP16
17	3rd Floor	Lab 1	NMFC/LAB1/COMP17
18	3rd Floor	Lab 1	NMFC/LAB1/COMP18
19	3rd Floor	Lab 1	NMFC/LAB1/COMP19
20	3rd Floor	Lab 1	NMFC/LAB1/COMP20
21	3rd Floor	Lab 1	NMFC/LAB1/COMP21
22	3rd Floor	Lab 1	NMFC/LAB1/COMP22
23	3rd Floor	Lab 1	NMFC/LAB1/COMP23
24	3rd Floor	Lab 1	NMFC/LAB1/COMP24
25	3rd Floor	Lab 1	NMFC/LAB1/COMP25
26	3rd Floor	Lab 1	NMFC/LAB1/COMP26
27	3rd Floor	Lab 1	NMFC/LAB1/COMP27
28	3rd Floor	Lab 1	NMFC/LAB1/COMP28
29	3rd Floor	Lab 1	NMFC/LAB1/COMP29
30	3rd Floor	Lab 1	NMFC/LAB1/COMP30
31	3rd Floor	Lab 1	NMFC/LAB1/COMP31

<b>Sr No</b>	<b>Floor</b>	<b>Lab No</b>	<b>Computer No</b>
<b>32</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP32
<b>33</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP33
<b>34</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP34
<b>35</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP35
<b>36</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP36
<b>37</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP37
<b>38</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP38
<b>39</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP39
<b>40</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP40
<b>41</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP41
<b>42</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP42
<b>43</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP43
<b>44</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP44
<b>45</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP45
<b>46</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP46
<b>47</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP47
<b>48</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP48
<b>49</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP49
<b>50</b>	3rd Floor	Lab 1	NMFC/LAB1/COMP50

## Number of Computers in *3<sup>rd</sup> Floor – Lab 2 = 32*

Sr No	Floor	Lab No	Computer No
51	3rd Floor	Lab 2	NMFC/LAB2/COMP51
52	3rd Floor	Lab 2	NMFC/LAB2/COMP52
53	3rd Floor	Lab 2	NMFC/LAB2/COMP53
54	3rd Floor	Lab 2	NMFC/LAB2/COMP54
55	3rd Floor	Lab 2	NMFC/LAB2/COMP55
56	3rd Floor	Lab 2	NMFC/LAB2/COMP56
57	3rd Floor	Lab 2	NMFC/LAB2/COMP57
58	3rd Floor	Lab 2	NMFC/LAB2/COMP58
59	3rd Floor	Lab 2	NMFC/LAB2/COMP59
60	3rd Floor	Lab 2	NMFC/LAB2/COMP60
61	3rd Floor	Lab 2	NMFC/LAB2/COMP61
62	3rd Floor	Lab 2	NMFC/LAB2/COMP62
63	3rd Floor	Lab 2	NMFC/LAB2/COMP63
64	3rd Floor	Lab 2	NMFC/LAB2/COMP64
65	3rd Floor	Lab 2	NMFC/LAB2/COMP65
66	3rd Floor	Lab 2	NMFC/LAB2/COMP66
67	3rd Floor	Lab 2	NMFC/LAB2/COMP67
68	3rd Floor	Lab 2	NMFC/LAB2/COMP68
69	3rd Floor	Lab 2	NMFC/LAB2/COMP69
70	3rd Floor	Lab 2	NMFC/LAB2/COMP70
71	3rd Floor	Lab 2	NMFC/LAB2/COMP71
72	3rd Floor	Lab 2	NMFC/LAB2/COMP72
73	3rd Floor	Lab 2	NMFC/LAB2/COMP73
74	3rd Floor	Lab 2	NMFC/LAB2/COMP74
75	3rd Floor	Lab 2	NMFC/LAB2/COMP75
76	3rd Floor	Lab 2	NMFC/LAB2/COMP76
77	3rd Floor	Lab 2	NMFC/LAB2/COMP77
78	3rd Floor	Lab 2	NMFC/LAB2/COMP78
79	3rd Floor	Lab 2	NMFC/LAB2/COMP79
80	3rd Floor	Lab 2	NMFC/LAB2/COMP80
81	3rd Floor	Lab 2	NMFC/LAB2/COMP81
82	3rd Floor	Lab 2	NMFC/LAB2/COMP82

## Number of Computers in 3<sup>rd</sup> Floor – Lab 3 = 32

Sr No	Floor	Lab No	Computer No
83	3rd Floor	Lab 3	NMFC/LAB3/COMP83
84	3rd Floor	Lab 3	NMFC/LAB3/COMP84
85	3rd Floor	Lab 3	NMFC/LAB3/COMP85
86	3rd Floor	Lab 3	NMFC/LAB3/COMP86
87	3rd Floor	Lab 3	NMFC/LAB3/COMP87
88	3rd Floor	Lab 3	NMFC/LAB3/COMP88
89	3rd Floor	Lab 3	NMFC/LAB3/COMP89
90	3rd Floor	Lab 3	NMFC/LAB3/COMP90
91	3rd Floor	Lab 3	NMFC/LAB3/COMP91
92	3rd Floor	Lab 3	NMFC/LAB3/COMP92
93	3rd Floor	Lab 3	NMFC/LAB3/COMP93
94	3rd Floor	Lab 3	NMFC/LAB3/COMP94
95	3rd Floor	Lab 3	NMFC/LAB3/COMP95
96	3rd Floor	Lab 3	NMFC/LAB3/COMP96
97	3rd Floor	Lab 3	NMFC/LAB3/COMP97
98	3rd Floor	Lab 3	NMFC/LAB3/COMP98
99	3rd Floor	Lab 3	NMFC/LAB3/COMP99
100	3rd Floor	Lab 3	NMFC/LAB3/COMP100
101	3rd Floor	Lab 3	NMFC/LAB3/COMP101
102	3rd Floor	Lab 3	NMFC/LAB3/COMP102
103	3rd Floor	Lab 3	NMFC/LAB3/COMP103
104	3rd Floor	Lab 3	NMFC/LAB3/COMP104
105	3rd Floor	Lab 3	NMFC/LAB3/COMP105
106	3rd Floor	Lab 3	NMFC/LAB3/COMP106
107	3rd Floor	Lab 3	NMFC/LAB3/COMP107
108	3rd Floor	Lab 3	NMFC/LAB3/COMP108
109	3rd Floor	Lab 3	NMFC/LAB3/COMP109
110	3rd Floor	Lab 3	NMFC/LAB3/COMP110
111	3rd Floor	Lab 3	NMFC/LAB3/COMP111
112	3rd Floor	Lab 3	NMFC/LAB3/COMP112
113	3rd Floor	Lab 3	NMFC/LAB3/COMP113
114	3rd Floor	Lab 3	NMFC/LAB3/COMP114

## Number of Computers in 3<sup>rd</sup> Floor – Lab 4 = 32

Sr No	Floor	Lab No	Computer No
115	3rd Floor	Lab 4	NMFC/LAB4/COMP115
116	3rd Floor	Lab 4	NMFC/LAB4/COMP116
117	3rd Floor	Lab 4	NMFC/LAB4/COMP117
118	3rd Floor	Lab 4	NMFC/LAB4/COMP118
119	3rd Floor	Lab 4	NMFC/LAB4/COMP119
120	3rd Floor	Lab 4	NMFC/LAB4/COMP120
121	3rd Floor	Lab 4	NMFC/LAB4/COMP121
122	3rd Floor	Lab 4	NMFC/LAB4/COMP122
123	3rd Floor	Lab 4	NMFC/LAB4/COMP123
124	3rd Floor	Lab 4	NMFC/LAB4/COMP124
125	3rd Floor	Lab 4	NMFC/LAB4/COMP125
126	3rd Floor	Lab 4	NMFC/LAB4/COMP126
127	3rd Floor	Lab 4	NMFC/LAB4/COMP127
128	3rd Floor	Lab 4	NMFC/LAB4/COMP128
129	3rd Floor	Lab 4	NMFC/LAB4/COMP129
130	3rd Floor	Lab 4	NMFC/LAB4/COMP130
131	3rd Floor	Lab 4	NMFC/LAB4/COMP131
132	3rd Floor	Lab 4	NMFC/LAB4/COMP132
133	3rd Floor	Lab 4	NMFC/LAB4/COMP133
134	3rd Floor	Lab 4	NMFC/LAB4/COMP134
135	3rd Floor	Lab 4	NMFC/LAB4/COMP135
136	3rd Floor	Lab 4	NMFC/LAB4/COMP136
137	3rd Floor	Lab 4	NMFC/LAB4/COMP137
138	3rd Floor	Lab 4	NMFC/LAB4/COMP138
139	3rd Floor	Lab 4	NMFC/LAB4/COMP139
140	3rd Floor	Lab 4	NMFC/LAB4/COMP140
141	3rd Floor	Lab 4	NMFC/LAB4/COMP141
142	3rd Floor	Lab 4	NMFC/LAB4/COMP142
143	3rd Floor	Lab 4	NMFC/LAB4/COMP143
144	3rd Floor	Lab 4	NMFC/LAB4/COMP144
145	3rd Floor	Lab 4	NMFC/LAB4/COMP145
146	3rd Floor	Lab 4	NMFC/LAB4/COMP146



## Number of Computers in *3<sup>rd</sup> Floor – Lab 5 = 33*

Sr No	Floor	Lab No	Computer No
147	3rd Floor	Lab 5	NMFC/LAB5/COMP147
148	3rd Floor	Lab 5	NMFC/LAB5/COMP148
149	3rd Floor	Lab 5	NMFC/LAB5/COMP149
150	3rd Floor	Lab 5	NMFC/LAB5/COMP150
151	3rd Floor	Lab 5	NMFC/LAB5/COMP151
152	3rd Floor	Lab 5	NMFC/LAB5/COMP152
153	3rd Floor	Lab 5	NMFC/LAB5/COMP153
154	3rd Floor	Lab 5	NMFC/LAB5/COMP154
155	3rd Floor	Lab 5	NMFC/LAB5/COMP155
156	3rd Floor	Lab 5	NMFC/LAB5/COMP156
157	3rd Floor	Lab 5	NMFC/LAB5/COMP157
158	3rd Floor	Lab 5	NMFC/LAB5/COMP158
159	3rd Floor	Lab 5	NMFC/LAB5/COMP159
160	3rd Floor	Lab 5	NMFC/LAB5/COMP160
161	3rd Floor	Lab 5	NMFC/LAB5/COMP161
162	3rd Floor	Lab 5	NMFC/LAB5/COMP162
163	3rd Floor	Lab 5	NMFC/LAB5/COMP163
164	3rd Floor	Lab 5	NMFC/LAB5/COMP164
165	3rd Floor	Lab 5	NMFC/LAB5/COMP165
166	3rd Floor	Lab 5	NMFC/LAB5/COMP166
167	3rd Floor	Lab 5	NMFC/LAB5/COMP167
168	3rd Floor	Lab 5	NMFC/LAB5/COMP168
169	3rd Floor	Lab 5	NMFC/LAB5/COMP169
170	3rd Floor	Lab 5	NMFC/LAB5/COMP170
171	3rd Floor	Lab 5	NMFC/LAB5/COMP171
172	3rd Floor	Lab 5	NMFC/LAB5/COMP172
173	3rd Floor	Lab 5	NMFC/LAB5/COMP173
174	3rd Floor	Lab 5	NMFC/LAB5/COMP174
175	3rd Floor	Lab 5	NMFC/LAB5/COMP175
176	3rd Floor	Lab 5	NMFC/LAB5/COMP176
177	3rd Floor	Lab 5	NMFC/LAB5/COMP177
178	3rd Floor	Lab 5	NMFC/LAB5/COMP178
179	3rd Floor	Lab 5	NMFC/LAB5/COMP179

## Number of Computers in *3<sup>rd</sup> Floor – Project Lab = 10*

<b>Sr No</b>	<b>Floor</b>	<b>Lab No</b>	<b>Computer No</b>
<b>180</b>	3rd Floor	Project Lab	NMFC/PRO/PC-01
<b>181</b>	3rd Floor	Project Lab	NMFC/PRO/PC-02
<b>182</b>	3rd Floor	Project Lab	NMFC/PRO/PC-03
<b>183</b>	3rd Floor	Project Lab	NMFC/PRO/PC-04
<b>184</b>	3rd Floor	Project Lab	NMFC/PRO/PC-05
<b>185</b>	3rd Floor	Project Lab	NMFC/PRO/PC-06
<b>186</b>	3rd Floor	Project Lab	NMFC/PRO/PC-07
<b>187</b>	3rd Floor	Project Lab	NMFC/PRO/PC-08
<b>188</b>	3rd Floor	Project Lab	NMFC/PRO/PC-09
<b>189</b>	3rd Floor	Project Lab	NMFC/PRO/PC-10

**Number of Computers in 8<sup>th</sup> Floor – E-Library + Photography Room = 10 + 1**

Sr No	Floor	Department	Computer No
190	8th Floor	E-library	NMFC/LIB/STU208
191	8th Floor	E-library	NMFC/LIB/STU209
192	8th Floor	E-library	NMFC/LIB/STU210
193	8th Floor	E-library	NMFC/LIB/STU211
194	8th Floor	E-library	NMFC/LIB/STU212
195	8th Floor	E-library	NMFC/LIB/STU213
196	8th Floor	E-library	NMFC/LIB/STU214
197	8th Floor	E-library	NMFC/LIB/STU215
198	8th Floor	E-library	NMFC/LIB/STU216
199	8th Floor	E-library	NMFC/LIB/STU217
200	8th Floor	Photography Room	NMFC/PHT/COMP267

**Number of Computers in 5<sup>th</sup> Floor – News Room = 7**

Sr No	Floor	Department	Computer No
201	5th Floor	News Room	NMFC/NEWS/COMP250
202	5th Floor	News Room	NMFC/NEWS/COMP251
203	5th Floor	News Room	NMFC/NEWS/COMP252
204	5th Floor	News Room	NMFC/NEWS/COMP253
205	5th Floor	News Room	NMFC/NEWS/COMP254
206	5th Floor	News Room	NMFC/NEWS/COMP255
207	5th Floor	News Room	NMFC/NEWS/COMP256

